



AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE		PAGE OF PAGES 1 2	
2. AMENDMENT/MODIFICATION NO. 0005		3. EFFECTIVE DATE 05-Aug-2016		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)	
6. ISSUED BY USA ENGINEER DISTRICT, JACKSONVILLE CONTRACTING DIVISION 701 SAN MARCO BLVD JACKSONVILLE FL 32207-8175		CODE W912EP		7. ADMINISTERED BY (If other than item 6) See Item 6		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X		9A. AMENDMENT OF SOLICITATION NO. W912EP-16-R-0011	
				X		9B. DATED (SEE ITEM 11) 08-Jul-2016	
						10A. MOD. OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Herbert Hoover Dike Rehabilitation, Structure Replacements, S-290 (IP-2) and S-292 (IP-1) Reconstruction, Glades County, Florida This Amendment is being issued for the following: 1. In S-292 (IP-1) Reconstruction drawings, DELETE Drawing T-03 and REPLACE with the attached revised Drawing T-3.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
				TEL: _____ EMAIL: _____			
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
_____ (Signature of person authorized to sign)				BY _____ (Signature of Contracting Officer)			



SUTRON SYSTEM COMPONENTS			
REF #	MANUFACTURER	PART #	DESCRIPTION
1A	HOFFMAN	A604816SSLP, ADP2	48H"x36W"x12D" STAINLESS STEEL ENCLOSURE WITH INTERIOR DOOR POCKET, POWDER COAT EXTERIOR WHITE
1B	CROUSE HINDS	CGFP193	GALVANIZED STEEL CORD GRIP FOR 3/8" CORD
1C	POREX	INTERSTATE SPECIALTY PRODUCTS #5541	3/8" DIA. X 1" LONG HYDROPHOBIC FILTER MATERIAL
1D	PANDUIT	F1.5X1.5LG6	1-1/2"x1-1/2" WIREWAY
1E	PANDUIT	C1.5LG6	1-1/2" WIREWAY COVER
1F	BURNDY	KC17B1	TYPE SP SERVICE GRD POST CONNECTOR
1G	HOFFMAN	A-30P24	BACK PANEL
1H	ILSCO	N1186-B	DUAL RATED GROUND BAR
1I	PANDUIT	F1X1LG6	1"x1" WIREWAY
1J	PANDUIT	C1LG6	1" WIREWAY COVER
2A	PHOENIX CONTACT	08 01 73 3	DIN RAIL
2B	PHOENIX CONTACT	30 04 36 2	TERMINAL BLOCK
2C	PHOENIX CONTACT	30 03 02 0	TERMINAL BLOCK END COVER
2D	PHOENIX CONTACT	08 00 88 6	END CLAMPS
2E	PHOENIX CONTACT	08 00 30 7	TERMINAL STRIP MARKER
2F	PHOENIX CONTACT	30 04 03 2	KNIFE DISCONNECT
2G	PHOENIX CONTACT	55 31 72 3	10AMP CIRCUIT BREAKER-1 POLE
2H	PHOENIX CONTACT	13 02 21 5	PARTITION PLATE
2I	PHOENIX CONTACT	02 03 25 0	FIXED BRIDGE
2J	PHOENIX CONTACT	28 56 12 6	PLUGTRAB BASE
2K	PHOENIX CONTACT	28 58 04 3	PLUGTRAB PLUG
2L	PHOENIX CONTACT	28 56 11 3	PLUGTRAB BASE
2M	PHOENIX CONTACT	28 56 03 2	PLUGTRAB PLUG
3A	SUTRON	XPERT2	MEASUREMENT AND CONTROL MODULE (DATA LOGGER)
3B	SUTRON	SATLINK-2	TRANSMITTER
3D	MORNINGSTAR	SS-10L	SOLAR CONTROLLER
3E	SUTRON	8080-0003	ANALOG I/O MODULE
3F	SUTRON	6461-1241	SDI-12 TERMINATION
3G	N/A	N/A	N/A
3H	N/A	N/A	GATE POSITION INDICATOR IN GATE ACTUATOR
3I	SUTRON	56-0540	STILLING WELL SDI-12 SHAFT ENCODER
3J	APPLIED GEOMECHANICS	A906-ST-BN-V	APPLIED GEOMECHANICS INCLINOMETER OR APPROVED EQUAL
3K	N/A	N/A	GATE POSITION INDICATOR IN GATE ACTUATOR
4A	SUTRON	5000-0081	YAGI GOES SATELLITE ANTENNA
4B	SUTRON	5000-0170	JAM RESISTANT GPS ANTENNA
4C	SUTRON	8111-1113-1	RF COAX LIGHTNING PROTECTOR
4D	N/A	N/A	LIGHTNING PROTECTOR
4E	SUTRON	6411-1162	ANTENNA CABLE
4F	SUTRON	6411-1561	ANTENNA CABLE
5A	TOYO BATTERY CO.	6GFM55	12 VOLT 55 AH BATTERIES
5B	N/A	N/A	N/A
5C	BP SOLAR	BP 350	50 WATT SOLAR PANELS
5D	CISCO	C819HG-4G-A-K9	CISCO 819 ISR OR EQUAL
5E	N/A	N/A	SOLAR PANEL ROOF MOUNTING BRACKET
5F	GE	GE INET-II 900	GE INET-II 900 RADIO OR APPROVED EQUAL
6A	PHOENIX CONTACT	N/A	3.5AMP CIRCUIT BREAKER-1 POLE
6B	PHOENIX CONTACT	55 30 89 2	10 AMP CIRCUIT BKR - 2 POLE W/ AUX CONTACTS
6C	FURNISHED BY CONTRACTOR	N/A	4 COND, #14 AWG SIS CONDUCTORS
6D	FURNISHED BY CONTRACTOR	N/A	6 COND, #14 AWG SIS CONDUCTORS
6E	HOFFMAN	A-VK33	4" X 4" LOUVER WITH FILTER
6F	WIEGMANN	RSC161610	16" X 16" X 10" NEMA 3R ENCLOSURE

NOTES:

1. PROVIDE SURGE SUPPRESSION FOR ANTENNA CABLES. SURGE SUPPRESSION SHALL MEET UL 497B. SURGE SUPPRESSION SHALL DISSIPATE 3,000 W/PAIR.
2. REFERENCED ITEMS: 1A THRU 2M, 3D, 3J, 5A, 5C, 6A, 6B, 6E, AND 6F SHALL BE MANUFACTURERS AS SHOWN "OR APPROVED EQUAL."



**US Army Corps
of Engineers®**
Jacksonville District

[illegible]

DEPARTMENT OF THE ARMY CORPS OF ENGINEERS JACKSONVILLE DISTRICT JACKSONVILLE, FLORIDA	DESIGNED BY:	DATE:
	V.L.:	OCTOBER 2015
	J.D.H.:	NO:
	S.J.P.:	XXXXXXXXXX
	SUBMITTED BY:	CONTRACT NO.:
N/A	N/A	
	PLOT SCALE:	PLOT DATE:
		FILE NUMBER:
	AS SHOWN:	Aug 04, 2013
	114552Z-HHDCRIP1-TS103 DGN	

HERBERT HOOVER DIKE REHABILITATION PROJECT
STRUCTURE REPLACEMENTS

S-292 (IP-1) RECONSTRUCTION
TELECOMMUNICATIONS

SUTRON SYSTEM COMPONENTS

DRAWING NO.

T-03